

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	8	((("20050086615") or ("5610833") or ("6342823") or ("6418401"))). PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/07/18 11:36
S2	3781	(transmission adj line) same (model\$4 or simulat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/18 11:39
S3	829	(resistance and inductance and capacitance) and S2	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/18 11:40
S4	103	((("2" adj D) or ("2" adj dimensional) or (two adj dimensional)) and S3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/18 14:44
S5	113	((("3" adj D) or ("3" adj dimensional) or (three adj dimensional)) and S3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/18 14:45
S6	54	S4 and S5	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/18 11:44
S7	1	(technology near3 depend\$4) and S6	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/18 11:45
S8	1	(technology with depend\$4) and S6	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/18 11:46
S9	11	(technology same depend\$4) and S6	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/18 11:46
S10	129	((("2" adj D) or ("2" adj dimensional) or "2D" or (two adj dimensional)) and S3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/18 14:45
S11	138	((("3" adj D) or ("3" adj dimensional) or "3D" or (three adj dimensional)) and S3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/18 14:45
S12	61	S10 and S11	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/18 14:59

S13	57	dielectric and S12	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/18 15:00
S14	1	((net adj list) or netlist) and S13	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/18 15:07
S15	16	((computer adj aided adj design) or (CAD)) and S13	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/20 11:23
S16	391	716/9.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/19 12:32
S19	3788	(transmission adj line) same (model\$4 or simulat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/20 11:24
S20	830	(resistance and inductance and capacitance) and S19	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/20 11:24
S21	130	(("2" adj D) or ("2" adj dimensional) or "2D" or (two adj dimensional)) and S20	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/20 11:24
S22	139	(("3" adj D) or ("3" adj dimensional) or "3D" or (three adj dimensional)) and S20	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/20 11:24
S23	62	S21 and S22	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/20 11:24
S24	58	dielectric and S23	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/20 11:24
S25	16	((computer adj aided adj design) or (CAD)) and S24	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/20 11:24
S26	4	S25 and (electromagnetic with condition)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/20 11:31

S27	4	S25 and (electromagnetic with bound\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/20 11:32
S28	5	S25 and (electromagnetic same bound\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/20 11:32